



# Solid Biomass Gasification as Fuel Source for Fuel Cells

Workshop: Hydrogen- and Fuel Cell Based Energy Systems in a Future Sustainable Energy World

30.03.-01.04.2004



Tobias Pröll





EIN PROGRAMM DES BMWA







#### **Outline**

- 1. Gas generation
- 2. Gas conditioning for fuel cell applications
- 3. Combined heat and power (CHP) from biomass using fuel cells
- 4. Technological status & projects
- 5. Conclusion

Tobias Pröll







## Thermal gas generation from solid fuels (1)

#### Definition:

<u>Gasification</u> means the transformation of solid fuels into combustible gases in presence of an oxygen carrier (air, O<sub>2</sub>, H<sub>2</sub>O, CO<sub>2</sub>) at high temperatures.

The necessary energy for thermochemical conversion is provided by partial oxidation of fuel or producer gas.

Tobias Pröll

Research Group for Sustainable Energy Technology









## Gas generation (2): Main gasification technologies

- Air gasifiers: Fixed or fluidized bed, autothermal,
  - $\sim 50 \% N_2$  in dry producer gas, low calorific gas
  - producer gas from air gasifiers not suitable for syntheses and fuel cell applications
- 2. **Steam gasifiers:** Dual fluidized bed, allothermal, two gas streams (producer gas and flue gas),
  - ~ 40 v-% H<sub>2</sub> in dry producer gas, medium calorific gas
  - ? steam gasification provides gas resembling partially reformed natural gas
- 3. **Oxygen/steam gasifiers:** Fluidized bed, autothermal, producer gas like from steam gasification
  - ? availability of pure  ${\rm O_2}$  problematic for small plant capacities

Tobias Pröll











# Gas conditioning (1): Fuel requirements of different cell types

Fuel cell	Electrolyte	Operating temperature	fuel gas	catalyst poisons
AFC	KOH solution	70-260 °C	pure H <sub>2</sub>	CO, CO <sub>2</sub>
PEM	Polymer membrane	50-120 °C	pure H <sub>2</sub>	CO > 10 ppm
PAFC	H <sub>3</sub> PO <sub>4</sub>	180-210 °C	H <sub>2</sub>	CO > 0.5 %, H₂S > 50 ppm
MCFC	molten alkaline carbonates	650 °C	H <sub>2</sub> /CO	H <sub>2</sub> S > 0.5 ppm
SOFC	solid oxide ceramics	800-1000 °C	H <sub>2</sub> /CO (CH <sub>4</sub> )	H <sub>2</sub> S > 1.0 ppm

Source: Larminie & Dicks, "Fuel Cell Systems Explained", J. Wiley & Sons, 2000.

Tobias Pröll

Research Group for Sustainable Energy Technology







# Gas conditioning (2): Cleaning technologies

Low temperature (< 200 °C)	Pollutant	High temperature (> 400 °C)
bag filter, wet scrubber,	Particles	Cyclone, granular-medium filter,
electrostatic precipitator (ESP)		ceramic filter, metal filter
Physically: wet scrubber, wet ESP,	Tar	Thermally/catalytically: Steam
cyclone, adsorption/bag filter		cracking with metal and non-metal
		catalysts
removal as solid particles	Alkali-	removal as solid particles < 600 °C
or in liquid solution	compounds	
wet scrubber	NH <sub>3</sub>	catalytic transformation to N <sub>2</sub>
wet scrubber,	H₂S, COS,	under development
chemical adsorption (ZnO)	R-SH	
wet scrubber	HCI	under development

Tobias Pröll








#### **Outline**

- 1. Gas generation
- 2. Gas conditioning for fuel cell application
- 3. Combined heat and power (CHP) from biomass using fuel cells
- 4. Technological status & projects
- 5. Conclusion

Tobias Pröll









#### **Outline**

- 1. Gas generation
- 2. Gas conditioning for fuel cell application
- 3. CHP from biomass using fuel cells
- 4. Technological status & projects
- 5. Conclusion

Tobias Pröll

Research Group for Sustainable Energy Technology










## Technological status of biomass gasification

Atmospheric steam gasification at industrial scale in successful operation (Güssing/Austria)

Tobias Pröll















## Technological status of biomass gasification

- Atmospheric steam gasification at industrial scale in successful operation (Güssing/Austria)
- Lower tar and higher H<sub>2</sub> content with catalytically active bed materials (EC Proj. Clean Energy 5<sup>th</sup> FP)
- CO<sub>2</sub> capture in the gasifier for high H<sub>2</sub> content up to 80 v-%(dry) (EC Proj. AER-Gas 5<sup>th</sup> FP)

Tobias Pröll











## Technological status of biomass gasification

- Atmospheric steam gasification at industrial scale in successful operation (Güssing/Austria)
- Lower tar, higher H<sub>2</sub> content with catalytic active bed materials (EC Proj. Clean Energy 5<sup>th</sup> FP)
- CO<sub>2</sub> capture in the gasifier for high H<sub>2</sub> content up to 80 v-%(dry) (EC Proj. AER-Gas 5<sup>th</sup> FP)
- Pressurized systems under development (Värnamo/Sweden – EC-Proj. ChrisGas, 6<sup>th</sup> FP)

Tobias Pröll

Research Group for Sustainable Energy Technology







### Technological status of gas cleaning

- Cold gas cleaning steps for particle and tar removal demonstrated
  - Combination bag filter / organic solvent scrubber
  - Combination water quench / wet electrostatic precipitator
- Trace removal of H<sub>2</sub>S same as for synthesis gas preparation
- Hot gas cleaning steps under development

Tobias Pröll







#### Conclusion

- Good match in size between decentralized CHP and fuel cell technology
- High electric efficiency of gasification based CHP plants especially in combination with fuel cells

Electric Efficiencies of CHP concepts in the capacity range of 10 MW fuel power (based on LHV of fuel input):

Combustion/steam cycle: 12-20 %
Gasification/gas engine: ~ 25 %
Gasification/PAFC: 25-30 %
Gasification/MCFC: 32-37 %
Gasification/SOFC/GT: 40-45 %

Fuel cells are the key technology for high efficiency electricity generation from solid biomass

Tobias Pröll Research Group for Sustainable Energy Technology