

Second International Symposium

Distributed Electricity Generation and Smart Grids 17.-18. October, 2007

Smart Metering – Expectations and Opportunities a Meter Manufacturer's View

Walter Scheiber, Actaris-Itron

Agenda



- Actaris-Itron Overview
- Components of Smart Metering
- Smart Meter Technology
- Communication Technology
- Meter Data Management System
- Next Generation Smart Meter System







Gas



Water



Heat

Itron & Actaris at a glance



ACTARIS





\$1.7 Billion of revenue* 274 million € EBITDA, Public company (NASDAQ ITRI)



45 nationalities









Present in 38 countries

30+ productions sites and 70+ sites

300 million meters

in service in the world (in more than 130 countries)

125 years of existence

19th century roots

Electricity portfolio

ACTARIS

Our tailored solution for every business need

We provide Utilities worldwide with a comprehensive range of high performance meters, systems and services for applications ranging from prepayment and automatic meter management to complex T&D systems.




Prepayment

One-way and two-way meters, systems and services for complete data management and revenue collection

- Automatic Meter Management, AMI
 Meters and systems for remote reading and data management
- Commercial and Industrial
 Meters and systems (including AMM)
 for commercial to complex industrial
- Network management Transmission and Distribution meters and systems;
 Demand Management
- Testing, Calibration
- Professional Services




Smart Metering Market Requirements



Smart Metering Trends






- Rising demand for self-communicating residential meters and systems via PLC or GPRS
- Increasing need for AMM rather than AMR only,
 - Remote load management,
 - Remote disconnection
 - Remote reconfiguration
 - Token less prepayment
- Managed Services
 - Actaris manages the operation of the AMM System for a fixed contract period
- More stringent meter reading <u>legislation</u>



Smart Metering – Integrated in the IT Infratsructure

ACTARIS

A Changing World for Meter Manufacturers and Meter Managers



Smart Metering - Dataflow



The Meter Data Management Process



Collection & Communications: Open Standards, Bidirectional Communication to each Meter, Integriated Loadcontrol and Demand Management, Interoperability of Meters

Agenda



- Actaris-Itron Overview
- Components of Smart Metering
- Smart Meter Technology
- Communication Technology
- Meter Data Management System

Next Generation Smart Meter System










Electricity Gas Water Heat

Meter Point – Actaris ACE4000



ACE4000 Residential Meter Specifications

ACTARIS

Metrology

- Class 1, 5(100)A, 3x230/400V (4- or 3 wire), 12kV isolation
- Approved for single phase and 3-phase installation.
- -40°C to +70°C temperature range.
- 1 x Pulse Output & 2 x Pulse Inputs, Digital Out / Relay, External or Internal Contactor / Load-limiter

Advanced Features (C&I)

- Multi channel Load profile 1min to 1 hour
- Active Energy Import/Export, Re-Active Energy
- Billing hourly, daily, monthly.
- Support for up to 4 Tariff rates.
- Event /alarm management for 10 events
 - Magnetic Field Detect, Open Cover Detect, etc.
- Digital input / Digital output control.

Communication

- Full SMS & GPRS support, or PLC, (or Other Wireless)
- Internal and external aerial solutions
- M-Bus master interface (slave meters plug & play)
- "Plug-&-Play", XML-based communications



Agenda



- Actaris-Itron Overview
- Components of Smart Metering
- Smart Meter Technology
- Communication Technology
- Meter Data Management System

Next Generation Smart Meter System










Electricity Gas Water Heat

Which Communication Technology For Which Situation ?



Technology comparison



Technology	Application	Advantage	Disadvantage
PSTN	High volume dataCommercial / IndustrialConcentrator to system	ReliabilityHigh network availability	Communication costModem cost
RF	High density UrbanRuralAMR (Monthly(95%)Load Management	Customer can own networkSpeed of communicationLow cost communication	 Location of concentrators Network Maintenance cost Experience and expertise
PLC	 High density Urban AMR (Monthly (95%) + Load Management Used in Stable network 	 Customer can own network Attractive meter cost 	 Network Maintenance cost Experience and Expertise Variable with load level
GPRS / GSM	High density UrbanRuralAMR (Monthly (100%) +Load Management	ReliabilityLow installation costQuick rollout	Cost of modem

Note – Fibre Optic Cables:

Lack of infrastructure in many cities and expensive to invest. Proprietary Fibre network is not economically viable.

Technology comparison



Technology	Installation and Operational Phases
PSTN	Project Install Install Clean up Operational Planning System Meters 0-1% Phase
RF	Project Install Install Install Clean up Operational Network Meters 5 -10% Phase Maintenance
PLC	Project Install Install Clean up Operational Network Planning System Meters Network 5 -10% Phase Maintenance
GPRS / GSM	Project Install Install Clean up Operational Planning System Meters 0-1% Phase

Key Risk Assessment Of Current Technologies

ACTARIS

	PLC	GPRS	RF
Key Risks Assessment	Risk	Risk	Risk
Inadequate Technical Coverage / Performance	Medium	Medium	High
Failing Dedicated Infrastructure Hardware Impact	High	None	High
Dependency On "Proprietary" Skills	High	Low	High
Network Infrastructure Maintenance "Peace Of Mind"	High	Low	High
Performance Interference Due To Changing Factors	Medium	Low	Medium
Dependency On Individual Companies (Future Price, Stability, Availability,)	High	Low	High

What costs do utilities associate with these risk differentials ??

Technology Life Cycle Cost Comparison (2005, Customer Analysis in Sweden)

ACTARIS

A Scenario.....

	PLC	GPRS	RF
Summary Annual Cost Per Metering Point	€	€	€
Investment Annual Costs (including meter & installation)	21,7	22,5	27,4
Maintenance Annual Costs	8,4	4,5	11,1
Annual Communication Costs	1,6	3,3	2,7
Total Annual Costs Per Point For Utility	31,6	30,3	41,2

Key Notes:

- 1) PLC & GPRS costings based on urban area ("best case" for PLC).
- 2) GPRS costing assumes 4 meters "daisy-chained" in a meter room. (note that most urban meter rooms in Sweden have many more than 4 meters)
- 3) RF costing represents a typical rural town environment ("best case" for RF).
- 4) GPRS costings based on latest quotes for modems and traffic costs.
- 5) 10 year life cycle assumed for all calculations.

Agenda



- Actaris-Itron Overview
- Components of Smart Metering
- Smart Meter Technology
- Communication Technology
- Meter Data Management System

Next Generation Smart Meter System









Electricity

Gas

Water


Heat

Actaris-Itron Smart Meter Data Management


ACTARIS

Products & Services

- Meter Technology
- Meter Data Collection Technology
- Field Workforce
- Water Loss Management
- Meter Data Management
- Distribution Asset Management
- Revenue Assurance
- Energy Forecasting
- Enterprise Energy Management
- Load Research
- Customer Care & Billing
- Enterprise Edition Customer Care
- MV-PBS
- MV-WEB
- MV-WEB Services
- Demand Response
- Distribution System Design
- Consulting & Analysis Services
- Implementation Services
- Managed Services
- Support Services
- Product Index
- Meter Data Management
- Hosting Services
- Rate Services Related Solutions
- Increase Revenue Assurance
- Improve Customer Service
- Manage Large Volumes of Meter Data
- Manage Energy Use at Multiple Facilities




Meter Management – Traditional View




Meter Data Management – Itron IEE View





Itron Enterprise Edition: IEE - MDM






IEE – Module: "Customer Care"



ACTARIS

Customer Care Combines Energy-, Cost-, and Bill-Analysis in One Integrated Package

Leveraging Data from Multiple Sources




Empowers Customers to Change Behavior -> Optimise Energy Usage, Save Money:

- How does my new dynamic rate work? How much of my bill is attributed to high price periods?
- What happens to my costs if I adjust usage?

Itron IEE Customer Care Modul





- Custom Web-Interface allows to generate and view Reports, Trend Analyses, Benchmarking, etc.
- Bills can be read, analyzed and compared
- Automatic transmission of Data per email, Alarms can be sent via SMS
- "What-If" Analyses

Agenda



- Actaris-Itron Overview
- Components of Smart Metering
- Smart Meter Technology
- Communication Technology
- Meter Data Management System

Next Generation Smart Meter System










Electricity Gas Water Heat

Itron OpenWay Meter & MDM System



ACTARIS



Next-generation Smart Meter Infrastructure:


- advanced, two-way communication technology
- enables utilities to
 empower ALL their
 customers to participate
 in demand response and
 energy conservation
 programs,
- supports the ongoing development and deployment of the "smart grid."

MDM, Open Standards, Bidirectional Communication to each Meter, Integriated Loadcontrol and Demand Management, High Functionality of the Meters

IEE – Customer Care Website-Portlets for Residential and Small Commercial Customers




ACTARIS



This allows the utility to offer its customers and to seamlessly embed rich analytic functionality within its existing portal.

To increase deployment flexibility, product configurability, and seamless website integration Itron delivers the analytics to the customer as individual web portlets that are embedded in the utility's existing web portal application.







Thank you for your attention!

Walter Scheiber
Tel: +43 (1) 706-4000 xt.356
walter.scheiber@actaris.itron.com